

MVMA Specifications

Vehicle Line Sebring
 Model Year 1995 Issued 1994-11 Revised (-) _____

METRIC (U.S. Customary)

| | | |
|-------------------------|------|------|
| Engine Code/Description | D41A | D42A |
|-------------------------|------|------|

Climate Control System

| | | | |
|--|---|----------------------------|------------------------------------|
| Air conditioning (std., opt., man., auto.) | | Std. (man.) | |
| Condenser | Type | Serpentine tube type | |
| | Eff. face area (sq. mm.) | 202200 | 205000 |
| | Fins per inch | 12.7 | 18.1 |
| Evaporator | Type | Laminate type | |
| | Eff. face area (sq. mm.) | 58000 | 56000 |
| | Fins per inch | 6.7 | 12.7 |
| Heater core | Material | Tube : brass fin : copper | |
| | Eff. face area (sq. mm.) | 31900 | |
| | Fins per inch | 11 | |
| Compressor | Type | Swash plate type | Scroll type |
| | Displacement (cc.) | 177.7 | 105 |
| | Manufacturer | U.S. DENSO Company Limited | Mitsubish Heavy Industries Limited |
| | A/C pulley ratio | 1.07 | 1.5 |
| Accumulator | Type | - | |
| | Height (mm.) | - | |
| | Diameter (mm.) | - | |
| Receiver | Type | Integral type | |
| | Height (mm.) | 187 | 197 |
| | Diameter (mm.) | 60 | 60.5 |
| Refrigerant control (CCOT, TVS, etc.) | External pressure regulated automatic thermo controlled expansion valve | | |
| Heater water valve (yes / no) | No | | |
| Refrigerant (R - 12, R - 134a, etc.) | R-134a | | |
| Charge level (lbs. - oz.) | 23 | | |
| Cold engine lockout switch (yes / no) | No | | |
| Wide open throttle cutout switch (yes / no) | Yes | | |

MVMA Specifications

Vehicle Line Sebring
 Model Year 1995 Issued 1994-11 Revised (+) _____

METRIC (U.S. Customary)

Model Code/Description

| | |
|------|------|
| D41A | D42A |
|------|------|

Convenience Equipment (standard, optional, n.a.)

| | | | |
|---|---|---|---|
| Clock (digital, analog) | | Digital quartz on radio (Built-in) | |
| Compass / thermometer | | N.A. | |
| Console (floor, overhead) | | Floor console | |
| Defroster, electric windshield | | N.A. | |
| Defroster, electric backlight | | Std. | |
| Diagnostic monitor (integrated, individual) | | Integrated | |
| Electronic | Instrument cluster (list instruments) | Std. | (electric speedometer with odometer & tripmeter, tachometer, gauges (eng. coolant temp, fuel, oil pressure), ind. lamps (brake, charge, check eng. coolant level, door, fuel, oil pressure, S/belt, SRS, upper beam)) |
| | Keyless entry | | Opt. |
| | Tripminder (avg. spd., fuel) | | N.A. |
| | Voice alert (list items) | | N.A. |
| | Other | | - |
| Fuel door lock (remote, key, electric) | | Remote | |
| Auto head on / off delay, dimming | | N.A. | |
| Cornering | | N.A. | |
| Courtesy (map, reading) | | Room, map, foot, rear courtesy | |
| Door lock, ignition | | Ignition | |
| Engine compartment | | N.A. | |
| Lamps | Fog | N.A. | Std. |
| | Glove compartment | Std. | |
| | Trunk | Std. | |
| | Illuminated entry system (list lamps, activation) | N.A. | |
| | Other | - | |
| Day / night (auto. man.) | | Std. (man.) | |
| Mirrors | L.H. (remote, power, heated) | Direct remote control (opt. electric remote control and heated) | |
| | R.H. (convex, remote, power, heated) | Direct remote control (opt. electric remote control and heated) | |
| | Visor vanity (RH / LH, illuminated) | R.H / L.H | |
| Navigation system (describe) | | N.A. | |
| Parking brake-auto release (warning light) | | N.A. | |

MVMA Specifications

Vehicle Line ACHIEVA
 Model Year 1995 Issued 9-94 Revised (●) _____

METRIC (U.S. Customary)

Model Code/Description

ALL

Convenience Equipment (standard, optional, n.a.)

| | | | | |
|--|---|---|--|---|
| Power equipment | Deck lid (release, pull down) | | (A59) Standard Release Manual | |
| | Door locks (manual, automatic, describe system) | | (AU4) Standard Automatic Door Lock/Unlock/Relock | |
| | Seats | 2 - 4 - 6 way, etc. | | (AG1) Optional 6 Way Power Adjuster (4-Way, Standard) |
| | | Reclining (R.H., L.H.) | | Not Available |
| | | Memory (R.H., L.H., preset recline) | | Not Available |
| | | Support (lumbar, hip, thigh, etc.) | | Not Available |
| | | Heated (R.H., L.H., other) | | Not Available |
| | Side windows | | (A31) Optional Power Windows | |
| | Vent windows | | Not Available | |
| | Rear windows | | Not Available | |
| Radio systems | Antenna (location, whip, w/shield, power) | | (US6) Standard Fixed RH Rear Quarter on S (U77) Optional Rear Defogger, Standard on SC/SL | |
| | Standard | AM, FM, stereo, tape, compact disc, graphic equalizer, theft deterrent, radio prep package, headphone jacks, etc. | (UM6) AM/FM Stereo, Seek/Scan, Clock, ETR & Cassette On SC/SL (UM7) AM/FM Stereo, Seek/Scan, Clock & ETR on S | |
| | Optional | | (UM6) AM/FM Stereo, Seek/Scan, Cassette, Clock & ETR On S (U1C) AM/FM Stereo, Seek/Scan, Compact Disc, Clock & ETR On All | |
| | Speaker (number, location) | | (UW6) Opt. DL F/D Tweet & Woof, DL Rr Ext. Rge (UQ8) Opt 4, DL F/D Mtg (UX7) Standard 4 DL Frt., Door Mtd. DL Rear Extd Rge | |
| | Roof: open air or fixed (flip-up, sliding, "T") | | (CF5) Optional Sliding Electric | |
| Speed control device | | (K34) Optional (Standard on SC/SL) | | |
| Speed warning device (light, buzzer, etc.) | | N/A | | |
| Tachometer (rpm) | | (UB3) Standard On SC/SL (U23) Standard On S | | |
| Telephone system (describe) | | N/A | | |
| Theft deterrent system | | N/A | | |

Trailer Towing

| | | |
|---------------------------------|-------------|--|
| Towing capable | Yes / No | Yes |
| Engine / transmission / axle | Std. / Opt. | Optional L82, Optional w/M13, Spd. Automatic |
| Tow class (I, II, III)* | Std. / Opt. | |
| Max. gross trailer wgt. (lbs.) | Std / Opt. | 1000 lbs. |
| Max. trailer tongue load (lbs.) | Std. / Opt. | 100 lbs. |
| Towing package available | Yes / No | No |
| | | |

* Class I - 2,000 lbs. Class II - 3,500 lbs. Class III - 5,000 lbs.